

AD-A135 120

INTERIM SCIENTIFIC REPORT ON VIRTUAL CATHODE
OSCILLATIONS(U) NEW MEXICO UNIV ALBUQUERQUE DEPT OF
MATHEMATICS AND STATISTICS E A COUTSIAS 30 JUN 83
AFOSR-TR-83-0945 AFOSR-82-0277 F/G 20/7

1/1

UNCLASSIFIED


NL

END

FILED

100

DTN



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

(4)

The purpose of my work on Virtual Cathode oscillations in electron beams is to gain understanding of nonsteady phenomena in non-neutral plasmas. The Virtual Cathode state is an important example of such a phenomenon (1).

To this effect a classical beam was modeled in one-dimensional, semi-infinite geometry and assumptions were introduced to allow the treatment of double streams. Specifically, the model is as follows: a classical, mono-energetic electron beam enters a semi-infinite drift space through a conducting grid (Fig. 1). Due to image charges induced on the grid, and the presence of an imposed adverse field the beam is reflected and returns to the grid, through which it leaves the space. Without the imposed field E , the beam would break into several streams, performing a complicated oscillatory motion that is prohibitively hard to analyse. Here it is assumed that if E is large enough there will be at most two streams present at each point. Crossing and reflection of particle trajectories inherent in this process implies the existence of caustics, or envelopes of trajectories. The assumption of the existence of only two streams is equivalent to assuming that the acceleration of the (unique) caustic is much smaller than the acceleration of the particles traversing it (Fig. 2).

Since in this geometry, the force on a particle is equal to the sum of the imposed field plus a term proportional to the total electric charge associated with particles further from the grid than the given particle, we can write the equation of motion for a given particle as

$$\ddot{x} = -E - \Delta(x,t)$$

where $\Delta(x,t)$ is the total charge that entered between the times of entry of the two trajectories crossing at the point (x,t) , with proper dimensionless units employed.

DTIC

NOV 30 1983

83 A11 29 294

Approved for public release
distribution unlimited.

DTIC FILE COPY

AD-A135120

This formulation allows us to derive a nonlinear integral equation for the quantity $\Delta(x,t)$. This equation allows a study of the stability of the steady two-stream flow and it is expected to yield results on the character of the oscillatory state. It also seems that a numerical study of the time dependent problem based on this equation would be a lot easier, requiring far less computing capacity, than the currently employed Particle in Cell codes, as long as the assumptions that led to it apply.

A point that this work helps to clarify is the mechanism responsible for the oscillatory behavior. Possible alternatives include the well-known two-stream instability (2) and delay effects.

A simplified model that ignores interaction between the two streams demonstrates the importance of delay effects. If we assume that particles are removed from the space upon reaching the caustic, we are led to an exactly solvable model whose solution is given in the form of an algebraic mapping. For E sufficiently strong, the mapping has only one fixed point, corresponding to a steady state for the beam but as a critical value of E is crossed two new fixed points for the map appear corresponding to the appearance of an oscillatory state for the beam. As E is decreased further the map goes through a cascade of bifurcations, leading to solutions of higher frequency in a typical period doubling sequence. Of course, the simplifying assumptions that make even this model solvable might not hold as the frequency is raised indefinitely, but the behavior of this model is indicative of the delay nature of the oscillatory behavior.

The work described above is currently being prepared for publication and a preprint will be submitted to AFOSR as soon as it is available. The integral equation describing the time dependent behavior of the beam is also under study currently.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
NOTICE OF TRANSMITTAL TO DTIC
This technical report has been reviewed and is
approved for public release IAW AFR 190-12.
Distribution is unlimited.
MATTHEW J. KERPER
Chief, Technical Information Division

Other work completed during the report period includes

- i) "Effects of thermal spread on the Space Charge Limit of Electron Beams", submitted (5/83) to the "Journal of Plasma Physics".
- ii) "Aging of Nuclei in a Binary Mixture", to appear in the Proceedings of the Conference on Fronts, Interfaces and Patterns, Los Alamos National Labs., May 1983.

Preprints of i) and ii) are enclosed.

- iii) "Kapitza-Dirac Scattering", being written for publication, is a study of the scattering of an electron beam by a standing laser wave.

References

1. E.A. Coutsiias and D.J. Sullivan, "Space Charge-Limit Instabilities in Electron Beams", Phys. Rev. A, 27, 1535-1543, (1983).
2. Lifshitz and Pitaevshii, Physical Kinetics, Pergamon, N.Y., (1979).



Accession For	
NTIS GRA&I	
DTIC TAB	
Unannounced	
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	




Figure 1. Schematic of semi-infinite drift space model.




Figure 2. Some electron trajectories and their envelope (caustic) in the single-caustic case. As can be seen all electrons entering in the interval $\Delta(x, t)$ are further from the grid than the electron at (x, t) and therefore they exert a force on it. Those between this electron and the grid don't matter, their influence being neutralized by that of image charges induced on the grid.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFOSR-TR- 83 - 0945	2. GOVT ACCESSION NO. <i>AD - A135120</i>	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) <i>INTERIM SCIENTIFIC REPORT for PERIOD 7-1-82 Thru 6-30-83 to AFOSR</i>		5. TYPE OF REPORT & PERIOD COVERED INTERIM, 1 JUL 82-30 JUN 83
7. AUTHOR(s) E.A. Coutasias		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Mathematics & Statistics University of New Mexico Albuquerque NM 87131		8. CONTRACT OR GRANT NUMBER(s) AFOSR-82-0277
11. CONTROLLING OFFICE NAME AND ADDRESS Mathematical & Information Sciences Directorate Air Force Office of Scientific Research/ <i>NM</i> Bolling AFB DC 20332		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS PE61102F; 2304/A4
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE JUN 83
		13. NUMBER OF PAGES 4
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) During this period, the single investigator produced two papers with titles, "Effects of Thermal Spread on the Space Charge Limit of an Electron Beam," and "The Aging of Nuclei in a Binary Mixture." In progress is a paper dealing with the cascade of bifurcations due to delay effects related to the two stream model for virtual cathode formation in its simplest form. A paper, "Kapitza-Dirac Scattering," is being written for publication. This report summarizes progress made under the grant during the specified period.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

END

FILMED

1-84

DTIC